

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 23 1994  
 Returned to applicant for correction APR 11 1994  
 Corrected application filed JUN 10 1994 Map filed NOV 17 1994

The applicant I.R. Andersen or Kim L. Colard, Trustees for I.R. Andersen and  
J.E. Andersen Trust, DTD 82479  
1800 Kings Canyon Rd. of Carson City, Nev. 89703  
Street and No. or P.O. Box No. City or Town  
 State and Zip Code No. hereby make application for permission to change the

Point of Diversion, Place of Use and Manner of Use  
Point of diversion, manner of use, and/or place of use  
 of water heretofore appropriated under Permit No. 44396  
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

- The source of water is Underground source  
Name of stream, lake, underground spring or other source.
- The amount of water to be changed 0.03 cfs, 8 ac.-ft.  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
- The water to be used for quasi municipal and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water heretofore permitted for irrigation and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water is to be diverted at the following point within the SW $\frac{1}{4}$  SW $\frac{1}{4}$  Sec. 18, T.17N., R.23E.,  
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.  
M.D.B.&M. or at a point from which the S.W. corner of said Section 18 bears S  
31°50' W, a distance of 1430 feet.
- The existing permitted point of diversion is located within The SW $\frac{1}{4}$  NE $\frac{1}{4}$  Sec. 17, T.17N., R.23E.,  
If point of diversion is not changed, do not answer.  
M.D.B.&M., from which the E $\frac{1}{4}$  corner of said Section 17 bears S 84°22'44" E.,  
a distance of 2552 feet.
- Proposed place of use SW $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 18, T17N, R23E, MDBM AKA LOT 69, Iron Mountain  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
Ranch, Unit No. 1., and within the NW $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 18, T.17N., R.23E.,  
M.D.B.&M.
- Existing place of use 2.0 acres, in the NE $\frac{1}{4}$  SE Section 17, T.17N, R23E, MDBM  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
- Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day
- Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day
- Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) WELL and DISTRIBUTION SYSTEM  
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.
- Estimated cost of works \$25,000.00
- Estimated time required to construct works 5-YEARS

14. Estimated time required to complete the application of water to beneficial use 20-YEARS

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

To be used in conjunction with application with changes 44397. (59779)  
 WATER TO BE USED TO SERVE RESIDENTIAL DEVELOPMENT AND COMMERCIAL ACREAGE  
 ADJACENT TO U.S. HIGHWAY 50 AT THE ENTRANCE TO IRON MOUNTAIN RANCH  
 DEVELOPMENT, UNIT NO. 1.

s/IR Andersen  
 By I.R. ANDERSEN, TRUSTEE  
 1800 Kings Canyon Rd.  
 Carson City, NV 89703

Compared pm/ n.s.r.

Protested

DENIAL OF STATE ENGINEER

deny

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ the same, subject to the following limitations and conditions:

Application 59778 is hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer's Office and that without this information the granting of the application would be detrimental to the public interest.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed \_\_\_\_\_ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before \_\_\_\_\_

Proof of completion of work shall be filed before \_\_\_\_\_

Application of water to beneficial use shall be made on or before \_\_\_\_\_

Proof of the application of water to beneficial use shall be filed on or before \_\_\_\_\_

Map in support of proof of beneficial use shall be filed on or before \_\_\_\_\_

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_


Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 23rd day of July

A.D. 19 96

  
 State Engineer